


EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	290	546/17.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/22 13:39
L2	1028	514/278.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/22 13:39
L3	1173	l1 or l2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT	OR	ON	2007/02/22 13:40
L4	1154	L3	US-PGPUB; USPAT	OR	ON	2007/02/22 13:40



Structure attributes must be viewed using STN Express query preparation.

=> s l1 full
 FULL SEARCH INITIATED 13:08:28 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 479 TO ITERATE

100.0% PROCESSED 479 ITERATIONS
 SEARCH TIME: 00.00.01

21 ANSWERS

L2 21 SEA SSS FUL L1

=> fil caplus
 COST IN U.S. DOLLARS
 FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
172.10	172.31

FILE 'CAPLUS' ENTERED AT 13:08:31 ON 22 FEB 2007
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Feb 2007 VOL 146 ISS 9
 FILE LAST UPDATED: 20 Feb 2007 (20070220/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 12

L3

2 L2

=> d ibib abs hitstr 1-2

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:830241 CAPLUS

DOCUMENT NUMBER: 145:327676

TITLE:

AUTHOR(S):

CORPORATE SOURCE:

SOURCE:

PUBLISHER:

DOCUMENT TYPE:

LANGUAGE:

GI

4-Amino-2-alkyl-butyramides as small molecule CCR2 antagonists with favorable pharmacokinetic properties
Butora, Gabor; Morriello, Gregori J.; Kothandaraman, Shankaran; Guaddeen, Deodialsingh; Pasternak, Alexander; Parsons, William H.; MacCoss, Malcolm; Vicario, Pasquale P.; Cascieri, Margaret A.; Wang, Lihua
Merck Research Laboratories, Rahway, NJ 07065, USA
Bioorganic & Medicinal Chemistry Letters (2006), 16(18), 4715-4722
CODEN: BMCLE8; ISSN: 0960-894X
Elsevier B.V.
Journal
English

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

909717-66-4P 909717-67-5P 909717-73-3P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(amino alkyl butyramides as CCR2 antagonists with favorable pharmacokinetic properties)

RN 691874-50-7 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]- α -(phenylmethyl)- (9CI) (CA INDEX NAME)

PAGE 1-A



I

AB A systematic examination of the central aromatic portion of the lead (2S)-N-[3,5-bis(trifluoromethyl)benzyl]-2-(4-fluorophenyl)-4-[[1'H-spiro[indene-1,4'-piperidin]-1'-yl]butanamide (9) led to the discovery of a novel class of CCR2 receptor antagonists, which carry small alicyclic groups such as cyclopropyl, cylobutyl, or cyclopropylmethyl attached at

C2 of the carbon backbone. The most potent compound discovered, namely (2S)-N-[3,5-bis(trifluoromethyl)benzyl]-2-cyclopropyl-4-[[1R,3'R]-3'-methyl-1'H-spiro[indene-1,4'-piperidin]-1'-yl]butanamide (I), showed very high binding affinity (IC₅₀ = 4 nM, human monocyte) and excellent selectivity toward other related chemokine receptors. The excellent pharmacokinetic profile of this new lead compound allows for extensive in vivo evaluation.


IT 691874-50-7P 691874-60-9P 691874-61-0P

691874-66-5P 691875-74-8P 691875-75-9P

909717-55-1P 909717-56-2P 909717-57-3P

909717-58-4P 909717-61-9P 909717-62-0P

909717-63-1P 909717-64-2P 909717-65-3P



PAGE 2-A


RN 691874-60-9 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

bis(trifluoromethyl)phenyl]methyl]- α -methyl-, (aS)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691874-61-0 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]- α -(1-methylethyl)-, (aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 691874-66-5 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]- α -(cyclopropylmethyl)-3'-methyl-, (aR,1R,3'R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 691875-74-8 CAPLUS


CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 2-A




RN 691875-75-9 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-[(methylsulfonyl)amino]- (9CI) (CA INDEX NAME)

PAGE 1-A




L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 2-A



RN 909717-55-1 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-(1-hydroxyethyl)-3'-methyl-, (1R,3'R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 909717-56-2 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-methyl-, (αS)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 909717-57-3 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-2-propenyl-, (αR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 909717-58-4 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-(1-methylethyl)-, (αR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 909717-61-9 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-1-[(trifluoromethyl)sulfonyl]amino]- (9CI) (CA INDEX NAME)


PAGE 1-A



L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN

(Continued)

PAGE 2-A



RN 909717-62-0 CAPLUS

CN Carbamic acid,


[1-[[[3,5-bis(trifluoromethyl)phenyl]methyl]amino]carbonyl

]-3-spiro[1H-indene-1,4'-piperidin]-1'-ylpropyl]-, methyl ester (9CI)

(CA

INDEX NAME)


PAGE 1-A



L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN

(Continued)


PAGE 2-A



RN 909717-63-1 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-(formylamino)- (9CI) (CA INDEX NAME)


PAGE 1-A



L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN


(Continued)

PAGE 2-A



RN 909717-64-2 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-[(2-thienylsulfonyl)amino]- (9CI) (CA INDEX NAME)




RN 909717-65-3 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, α-[[[2-(acetylamino)-5-thiazolyl]sulfonyl]amino]-N-[[3,5-bis(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN


(Continued)



RN 909717-66-4 CAPLUS


CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-[(phenylsulfonyl)amino]- (9CI) (CA INDEX NAME)

PAGE 1-A




L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 2-A




RN 909717-67-5 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[(3,5-bis(trifluoromethyl)phenyl)methyl]-α-[(2-oxo-4-imidazolidinyl)carbonyl]amino- (9CI) (CA INDEX NAME)



RN 909717-73-3 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[(3,5-bis(trifluoromethyl)phenyl)methyl]-α-(cyclopropylmethyl)-3'-methyl-, (αS,1R,3'R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



IT 909717-54-0P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (amino alkyl butyramides as CCR2 antagonists with favorable pharmacokinetic properties)
 RN 909717-54-0 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, α-[(1-(acetyloxy)ethyl)-N-[(3,5-bis(trifluoromethyl)phenyl)methyl]-3'-methyl-, (1R,3'R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE REFORMAT

L3 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:412814 CAPLUS
 DOCUMENT NUMBER: 140:423589
 TITLE: Preparation of piperidinylbutyramides and related compounds as modulators of CCR-2 chemokine receptor activity
 INVENTOR(S): Butora, Gabor; Pasternak, Alexander; Yang, Lihu; Zhou,
 SOURCE: Changyou
 PATENT ASSIGNEE(S): Merck & Co., Inc., USA
 PCT Int. Appl., 239 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004041279	A1	20040521	WO 2003-US34009	20031024
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, NO, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2503720	A1	20040521	CA 2003-2503720	20031024
AU 2003284984	A1	20040607	AU 2003-24984	20031024
EP 1558250	A1	20050803	EP 2003-275403	20031024
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, HU, IL, IT, JP, KR, PT, SE, SI, SK, TR, UA, US, YU, ZA, ZM, ZW				
JP 2006511500	T	20060406	JP 2004-550131	20031024
US 2005261325	A1	20051124	US 2005-528329	20050318
PRIORITY APPLN. INFO.:			US 2002-422268P	P 20021030
			WO 2003-US34009	W 20031024


OTHER SOURCE(S): MARPAT 140:423589
 GI

Instant App

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-A



II

AB Title compds. [I; W = C, N, O; X = NR10, O, CH2O, CONR10, CO2, etc.; R10 =

H, (substituted) alkyl, Ph, PhCH2, alkyl, cycloalkyl; R1 = H, (substituted) alkyl-Y-Ph, alkyl-Y-heterocyclyl, etc.; Y = bond, O, S, SO2, NR10; R2 = (substituted) alkylphenyl, alkylheterocyclyl; R3 = H, (substituted) alkylphenyl, alkylheterocyclyl, CF3, cycloalkyl, etc.; R4 = H, OH, alkyl, alkoxy, cyano, etc.; R3R4 = atoms to form (substituted) indene, benzofuran, isobenzofuran, benzothiofuran, isobenzofuran rings; R5-R8 = H, OH, alkyl, alkoxy, O, halo, CF3, CO2R9, etc.; R9 = H, (substituted) alkyl, cycloalkyl, Ph, PhCH2; R3R5, R4R6, R5R6, R7R8 =

atoms to form (substituted) rings; R11 = H, halo, alkyl, OH, alkoxy, NR9R10, etc.; R12 = H, alkyl, CO2R9; n = 0-3], were prepared thus, title compound

(II) was prepared by reaction of 4-phenylpiperidine with the corresponding aldehyde in the presence of Na(OAc)3BH. I bound to CCR-2 receptor with IC50 ≤ 1 μM.

IT 691874-50-7P 691874-52-9P 691874-60-9P

691874-61-0P 691874-66-5P 691875-72-6P


691875-74-8P 691875-75-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(reparation of piperidinybutyramides and related compds. as modulators of CCR-2 chemokine receptor activity)

RN 691874-50-7 CAPLUS


CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-(phenylmethyl)- (9CI) (CA INDEX NAME)



PAGE 2-A

RN 691874-52-9 CAPLUS


CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-(cyclohexylmethyl)- (9CI) (CA INDEX NAME)



L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-A




PAGE 2-A

RN 691874-60-9 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-methyl-, (αR)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 691874-61-0 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-(1-methylethyl)-, (αS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 691874-66-5 CAPLUS

CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-[[3,5-bis(trifluoromethyl)phenyl]methyl]-α-(cyclopropylmethyl)-3'-methyl-, (αR,1R,3'R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)




RN 691875-72-6 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-methoxy- (9CI) (CA INDEX NAME)

PAGE 1-A




L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 2-A




RN 691875-75-9 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, N-([3,5-bis(trifluoromethyl)phenyl)methyl]-α-[(methylsulfonyl)amino]- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 2-A




L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 PAGE 2-A



RN 691875-74-8 CAPLUS
 CN Spiro[1H-indene-1,4'-piperidine]-1'-butanamide, α-amino-N-([3,5-bis(trifluoromethyl)phenyl)methyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



L3 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 REFERENCE COUNT: 2
 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE
 FORMAT